

form 1 to 8 carbon atoms, or an aryl group, and A represents an alkylene group having from 2 to 14 carbon atoms or a polyoxyalkylene group.

### REMARKS

Claims 1 and 3-6 are active in the present application. Claim 2 has been cancelled. Claims 1 and 6 have been amended. Support for amended Claim 1 is found on page 8, lines 20-24. Support for amended Claim 6 is found in Figure 1 and in the specification on page 10, line 15, through page 11, line 19. No new matter is added. An action on the merits and allowance of claims is solicited.

Respectfully submitted,  
OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Norman F. Oblon  
Attorney of Record  
Registration No. 24,618

Daniel J. Pereira, Ph.D.  
Registration No. 45,518



**22850**

(703) 413-3000  
Fax #: (703) 413-2220  
DJPER/kst

I:\atty\SUKOS\212638us-pr.wpd


212638US-0PCT

<b>Marked-Up Copy</b> Serial No: <hr/> Amendment Filed on: <u>08/17/01</u>
---

IN THE CLAIMS

Please cancel Claim 2.

--1. (Amended) A copolymer composed of from 20 to 100% by weight of at least one phosphate monomer (a) unit of the following general formula (1), from 0 to 80% by weight of at least one (meth)acrylate monomer (b) unit, and from 0 to 30% by weight of the other monomer (c) unit copolymerizable with them, and the glass transition temperature of the copolymer is 80°C or less:




wherein, R<sup>1</sup> in the formula represents hydrogen atom or methyl group, each R<sup>2</sup> and R<sup>3</sup> independently represents hydrogen atom, or an alkyl group or an alkyl ether group having from 1 to 8 carbon atoms, or an aryl group, and A represents an alkylene group having from 2 to 14 carbon atoms or a polyoxyalkylene group.

6. (Amended) A raw material composition for preparing a vibration-damping material, which is composed of from 20 to 100% by weight of at least one phosphate monomer (a) of the following general formula (1), from 0 to 80% by weight of at least one

(meth)acrylate monomer (b), and from 0 to 30% by weight of the other monomer (c)

copolymerizable with them:



wherein, R<sup>1</sup> in the formula represents hydrogen atom or methyl group, each R<sup>2</sup> and R<sup>3</sup>

independently represents hydrogen atom, or an alkyl group or an alkyl ether group having

from 1 to 8 carbon atoms, or an aryl group, and A represents an alkylene group having from 2

to 14 carbon atoms or a polyoxyalkylene group.--